

Des Moines Fire Department

Test All Smoke Alarms (Detectors) and Annually Replace Batteries Develop and Rehearse an Escape Plan

You can prevent tragedies simply by testing and maintaining your smoke alarms and practicing a fire escape plan. All smoke alarms in your house should be tested once a month and their batteries replaced annually. Every family should develop a fire escape plan and practice it at least twice a year. The Des Moines Fire Department recommends these measures because working smoke alarms and a fire escape plan will increase your protection in case of a fire.

Every year in the United States, about 3,000 people lose their lives in residential fires. Most fire victims die from inhalation of smoke and toxic gases, not as a result of burns. Most deaths and injuries occur in fires that happen at night while the victims are asleep.

Properly installed and maintained smoke alarms in the home are considered one of the best and least expensive means of providing an early warning of a potentially deadly fire. Smoke alarms save lives, prevent injuries, and minimize property damage by enabling residents to detect fires early in their development. The risk of

dying from fires in homes without smoke alarms is twice as high as in homes that have working smoke alarms.

All smoke alarms should be tested at least once a month to make sure they operate properly. If a smoke alarm is battery operated, replace the batteries at least once a year to make sure the alarm will work when it is needed. It's a good practice to make replacement of batteries a seasonal routine, such as when resetting clocks in the fall or spring. Always follow the manufacturer's instructions for testing smoke alarms and replacing the batteries.

If your battery-powered smoke alarm begins to emit a low-power warning, usually a chirping sound, replace the battery immediately with a fresh one. This will ensure that your smoke alarm will continue to provide protection.



Follow manufacturer's instruction for testing your smoke alarm.

Never disable your smoke alarm, even if you experience "nuisance" alarms while cooking or showering. Clean the smoke alarm following the manufacturer's instructions. If nuisance alarms are a persistent problem, you may need to look for a different type of smoke alarm. A photoelectric smoke alarm is less sensitive to common causes of false alarms.


At the same time you replace your smoke alarm batteries, replace the batteries in your Carbon Monoxide (CO) alarm. CO is a colorless, odorless gas that is produced when any fuel is incompletely burned. About 150 people die each year from non-fire, carbon monoxide poisoning associated with home fuel-burning heating equipment.

The Des Moines Fire Department also urges families to develop and rehearse an escape plan so that when the smoke alarm sounds, family members will immediately move to a safe location outside the home.

The Des Moines Fire Department recommends the following on fire escape planning:

- Every family should develop a home fire escape plan and practice it at least twice a year with the entire household.
- Practice the fire escape plan with your children, baby-sitter, and older family members.
- During practice, it is important to be aware of and remove obstacles that may prevent a quick and safe evacuation, such as blocked exits or jammed or barred windows.
- Children may not awaken from the sound of a smoke alarm. Parents should hold a fire drill during the night so they can assess their children's ability to awaken and respond appropriately.

If children, or any other family member, cannot awaken to or hear the smoke alarm, the escape plan should be adjusted accordingly to help get all family members out safely.



Make sure alarms are placed either on the ceiling or 6-12 inches below the ceiling on the wall. Locate smoke alarms away from air vents or registers; high air flow or dead air spaces are to be avoided. Dead air spaces are often at the top of a peaked roof, or in corners between ceilings and walls.

The Des Moines Fire Department recommends the following on smoke alarms:

- At a minimum install a working smoke alarm on each floor and next to sleeping areas. Best is to install a working smoke alarm on every level of the home, outside sleeping areas, and inside

bedrooms and have them interconnected.

- Test your smoke alarms at least once a month.
- Replace smoke alarm batteries at least annually, such as when resetting clocks in the fall or spring or both.
-
- Replace smoke alarms units after 10 years.
-
- **Any** smoke alarm is better than no smoke alarm, however, when replacing smoke alarms consider changing to a dual detection alarm – ionization/photoelectric. Although both will detect either fire, ionization detectors detect rapid burning fires more quickly and photoelectric detect smoldering fires more quickly.

Don't wait for a fire in your home to test your smoke alarm and develop a fire escape plan...

DO IT NOW

Test your smoke alarm and regularly replace its batteries.

Develop and practice your fire escape plan with your family.